

HIDROFAB

Revision nr. 0.0

Dated 15/11/2021
First compilation
Printed on 16/11/2021

Page n. 1/14

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: PFP77
Product name HIDROFAB
Chemical name and synonym HIDROFAB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use WATER BASED SHINY WAX

1.3. Details of the supplier of the safety data sheet

Name FABER CHIMICA S.R.L.

Full address Via Ceresani 10
District and Country 60044 Campo D'Olmo - Fabriano (ANCONA)

ITALIA

Tel. 0732627178 Fax 073222395

e-mail address of the competent person

responsible for the Safety Data Sheet quality@fabersurfacecare.com

1.4. Emergency telephone number

For urgent inquiries refer to Belg

Belgium

Centre Antipoisons

c/o Hôpital Militaire Reine Astrid, Rue Bruyn 1, 1120 Bruxelles, Belgium

Phone+32022649636

E-mail info@poisoncentre.be

Croatia

Croatian Institute of Public Health, Division for Toxicology

Borongajska 83g, 10000 Zagreb, Croatia

Phone+38514686910

E-mail toksikologija@hzjz.hr

Denmark

Danish Environmental Protection Agency Haraldsgade 53, 2100 København Ø, Denmark

Phone+45 72 54 40 00 E-mail mst@mst.dk

Estonia Health Board

Paldiski road 81,10617 Tallinn, Estonia

Phone+372 794 3500

E-mail clp @ terviseamet.ee, info @ terviseamet.ee

Iceland

Poisons Information Center - Icelandic University Hospital

Fossvogur, Reykjavík, Iceland Phone+354 543 22 22 E-mail eitur@landspitali.is

Ireland

National Poisons Information Centre

Beaumont Hospital, Beaumont, Dublin 9., Ireland

E-mail chemicalsinfo @ beaumont.ie



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021 First compilation

Printed on 16/11/2021

Page n. 2/14

Latvia

State Ltd "Latvian Environment, Geology and Meteorology Centre"

Maskavas Street 165, Riga, LV-1019, Latvia

Phone +371 67032600

E-mail lvgmc@lvgmc.lv

Lithuania

Environmental Protection Agency

Juozapavicius st. 9, LT-09311 Vilnius, Lithuania

Phone +370 70662008 E-mail aaa@aaa.am.lt

Malte

Malta Competition and Consumer Affairs Authority (MCCAA)

Mizzi House, National Road, Blata I-Bajda HMR9010, Malta

Phone +356 2395 2000

E-mail info@mccaa.org.mt

Norway

Norwegian Environment Agency

Postboks 5672 Torgarden, 7485 Trondheim, Norway

Phone+4573580500

E-mail produktregisteret@miljodir.no

Portugal

Centro de informação antivenenos

Rua Almirante Barroso, 36 1000-013 Lisboa, Portugal

Phone +351213303271

E-mail ciav.tox@inem.pt

Sweden

Swedish Poisons Information Centre

Giftinformationscentralen 171 76 Stockholm, Sweden

Phone +46104566750

E-mail giftinformation@gic.se

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878. Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: -

Signal words: --

Hazard statements:

EUH210 Safety data sheet available on request.

EUH208 Contains: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1), Resin and

rosin acids, fumarates, esters with pentaerythritol

May produce an allergic reaction.

Precautionary statements:



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021 First compilation Printed on 16/11/2021

Page n. 3/14

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration >= 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification Classification 1272/2008 (CLP) x = Conc. %

Resin and rosin acids, fumarates,

esters with pentaerythritol CAS 94581-15-4

 $0,607 \le x <$ 0.707

Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 4 H413

EC 305-514-1

INDEX -

REACH Reg. 01-2119485895-17

reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2methyl-2H-isothiazol-3-one (3: 1)

CAS 55965-84-9

 $0 \le x < 0.0015$

Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C

EC -

INDEX 613-167-00-5

REACH Reg. 01-2120764691-48

H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=100, EUH071 Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0,06%, Skin Sens. 1A H317: ≥ 0,0015%, Eye Dam. 1 H318: ≥ 0,6%, Eye Irrit. 2 H319: ≥ 0,06% STA Oral: 100 mg/kg, STA Dermal: 50,001 mg/kg, STA Inhalation vapours:

0,501 mg/l

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021

First compilation
Printed on 16/11/2021

Page n. 4/14

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021

First compilation
Printed on 16/11/2021

Page n. 5/14

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

| | tion - PNEC | | | | | | | |
|--|--|----------------------|---------------|--|-----------------------------------|----------------------------------|---------------|------------------|
| Normal value in fresh water | | | | 339 | μg | ′L | | |
| Normal value in marine water | | | | 339 | μg | ′L | | |
| Normal value for fresh water sediment | | | 27 | mg | ı/kg/d | | | |
| Normal value for marine water sediment | | | 27 | mg | ı/kg/d | | | |
| Normal value of STP microorganisms | | | 23 | mg | / | | | |
| Normal value for the terrestrial compartment | | | | 1 | mg | ı/kg/d | | |
| Health - Derived no-effect | ct level - DNEL / [| MEL | | | | | | |
| | Effects on | | | | Effects on | | | |
| | consumers | | | | workers | | | |
| Route of exposure | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Inhalation | | | 0.02 mg/m3 | • | | - | 0.02 mg/m3 | |
| Normal value in fresh water | | | | 1 | mg | ı/I | | |
| Normal value in marine water | | | | <u>'</u> 1 | mg | | | |
| | | | | | • | | | |
| Normal value for fresh water s | ediment | | _ | 231775 | mo | /ka/d | | |
| | | | | 231775 | | /kg/d | | |
| Normal value for marine wate | r sediment | | | 231775 | mg | /kg/d | | |
| Normal value for marine wate | r sediment ganisms | | | | | /kg/d | | |
| Normal value for marine wate | r sediment ganisms | | | 231775 | mg mg | /kg/d | | |
| ` | r sediment ganisms al compartment ct level - DNEL / D | MEL | | 231775 | mg mg | ı/kg/d ı/l | | |
| Normal value for marine wate Normal value of STP microorg Normal value for the terrestria | r sediment ganisms al compartment ct level - DNEL / D Effects on |)MEL | | 231775 | mg mg Effects on | ı/kg/d ı/l | | |
| Normal value for marine wate Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect | r sediment ganisms al compartment ct level - DNEL / D Effects on consumers | | Chronic local | 231775 126 46206 | mg mg Effects on workers | y/kg/d y/l y/kg/d | Chronic local | Chronic |
| Normal value for marine wate Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect | r sediment ganisms al compartment ct level - DNEL / D Effects on | DMEL Acute systemic | Chronic local | 231775 | mg mg Effects on | ı/kg/d ı/l | Chronic local | Chronic systemic |
| Normal value for marine wate Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect | r sediment ganisms al compartment ct level - DNEL / D Effects on consumers | | Chronic local | 231775 126 46206 Chronic systemic 1.046 mg/kg | mg mg Effects on workers | y/kg/d y/l y/kg/d Acute | Chronic local | |
| Normal value for marine wate Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect Route of exposure | r sediment ganisms al compartment ct level - DNEL / D Effects on consumers | | Chronic local | 231775 126 46206 Chronic systemic | mg mg Effects on workers | y/kg/d y/l y/kg/d Acute | Chronic local | |

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021
First compilation
Printed on 16/11/2021

Page n. 6/14

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Value Information | |
|--------------------------------|------------------|-------------------|--|
| | | | |
| Appearance | liquid | | |
| Colour | white | | |
| Odour | mild | | |
| Melting point / freezing point | Not available | | |
| Initial boiling point | Not available | | |
| Flammability | Not available | | |
| Lower explosive limit | Not available | | |
| Upper explosive limit | Not available | | |
| Flash point | Not available | | |
| Auto-ignition temperature | Not available | | |
| Decomposition temperature | Not available | | |
| рН | 9-10 | | |
| Kinematic viscosity | Not available | | |
| Solubility | soluble in water | | |
| | | | |

TILE & STONE CARE

FABER CHIMICA S.R.L.

Revision nr. 0.0

Dated 15/11/2021

First compilation

Page n. 7/14

Printed on 16/11/2021

HIDROFAB

Partition coefficient: n-octanol/water

Vapour pressure

Not available

Not available

Partition coefficient: n-octanol/water

Not available

Not available

Not available

Not available

Particle characteristics

Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



SERIOUS EYE DAMAGE / IRRITATION

FABER CHIMICA S.R.L.

HIDROFAB

Revision nr. 0.0

Dated 15/11/2021 First compilation Printed on 16/11/2021

Page n. 8/14

| Metabolism, toxicokinetics, mechanism of action and other inform | <u>nation</u> |
|--|---|
| Information not available | |
| Information on likely routes of exposure | |
| Information not available | |
| Delayed and immediate effects as well as chronic effects from sh | ort and long-term exposure |
| Information not available | |
| Interactive effects | |
| Information not available | |
| ACUTE TOXICITY | |
| ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture: | Not classified (no significant component) Not classified (no significant component) Not classified (no significant component) |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-me | ethyl-2H-isothiazol-3-one (3: 1) |
| LD50 (Oral): STA (Oral): | 457 mg/kg bw 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) |
| LD50 (Dermal): STA (Dermal): | 600 mg/kg bw 50,001 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) |
| LC50 (Inhalation vapours): STA (Inhalation vapours): | 123 mg/m³ 0,501 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) |
| SKIN CORROSION / IRRITATION | |
| Does not meet the classification criteria for this hazard class | |



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021 First compilation Printed on 16/11/2021

Page n. 9/14

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

(Taber) TILE & STONE CARE

FABER CHIMICA S.R.L.

HIDROFAB

Revision nr. 0.0

Dated 15/11/2021 First compilation

Printed on 16/11/2021

Page n. 10/14

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3: 1)

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

EC10 for Algae / Aquatic Plants

Chronic NOEC for Algae / Aquatic Plants

58 mg/l/96h Danio rerio

7 mg a.i./L

52 µg a.i./L

188 mg/l/72h Pseudokirchneriella subcapitata

49 µg a.i./L

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING



SECTION 14. Transport information

FABER CHIMICA S.R.L.

HIDROFAB

Revision nr. 0.0

Dated 15/11/2021 First compilation

Printed on 16/11/2021

Page n. 11/14

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

| | | |
|------|------|------|

| nternational Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations. |
|---|
| 14.1. UN number or ID number |
| det en Perkle |
| Not applicable |
| 14.2. UN proper shipping name |
| |
| Not applicable |
| 14.3. Transport hazard class(es) |
| Not applicable |
| Not applicable |
| 14.4. Packing group |
| Not applicable |
| чот аррисале |
| 14.5. Environmental hazards |
| Not applicable |
| |
| 14.6. Special precautions for user |
| Not applicable |
| |
| 14.7. Maritime transport in bulk according to IMO instruments |
| nformation not relevant |
| |
| |
| |
| |



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021 First compilation Printed on 16/11/2021

Page n. 12/14

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Contained substance

Point 75

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

TILE & STONE CARE

FABER CHIMICA S.R.L.

HIDROFAB

Revision nr. 0.0

Dated 15/11/2021

First compilation

Printed on 16/11/2021

Page n. 13/14

Acute Tox. 2 Acute toxicity, category 2
Acute Tox. 3 Acute toxicity, category 3
Skin Corr. 1C Skin corrosion, category 1C
Eye Irrit. 2 Eye irritation, category 2
Skin Sens. 1 Skin sensitization, category 1
Skin Sens. 1A Skin sensitization, category 1A

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 4 Hazardous to the aquatic environment, chronic toxicity, category 4

H310 Fatal in contact with skin.

H330 Fatal if inhaled.H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H413 May cause long lasting harmful effects to aquatic life.

EUH071 Corrosive to the respiratory tract.

EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY



HIDROFAB

Revision nr. 0.0

Dated 15/11/2021

First compilation Printed on 16/11/2021

Page n. 14/14

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament

2. Regulation (EC) 1272/2008 (CLP) of the European Parliament

3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)

Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament

7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP)

13. Regulation (EU) 2017/776 (X Atp. CLP)

14. Regulation (EU) 2018/669 (XI Atp. CLP)

15. Regulation (EU) 2019/521 (XII Atp. CLP)

16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)

17. Regulation (EU) 2019/1148

18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)

19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)

21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

The Merck Index. - 10th Edition
 Handling Chemical Safety

INRS - Fiche Toxicologique (toxicological sheet)

Patty - Industrial Hygiene and Toxicology

N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

IFA GESTIS website

ECHA website

Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a quarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.